

Ideal Light Balance  
with Perfection  
and Elegance

**BLACKOUT**  
COLLECTION



**Marvel**

ROLLER | ROMAN | PANEL  
BLINDS



# BLACKOUT

COLLECTION

ROLLER | ROMAN | PANEL  
BLINDS

### Technical Details

Blinds Options :



Roller



Roman



Panel



Skylight

### Available Options for Roller Blinds

Fixing options :



Direct fix



Headrail



Plain  
Cassette



Decorative  
Cassette

Bottom rail options :



Plain  
Round



Plain  
Pentagon



Fabric  
Decorative

Operating System :



Ballchain



Automation



Smart Phone



One Touch Up



Ultra Spring System

### Available Options for Roman Blinds

Cassette / Bottom rail option :



Decorative Cassette



Plain Pentagon Bottom



Fabric Decorative Bottom

Operating System :



Ballchain



Automation



Smart Phone



One Touch Down

### Available Options for Panel Blinds

Channel options :



Plain



Fabric Decorative

Operating System :



Automation



Cord Control



Wand Control



Imuples



Impulse

◀4271

◀4272

◀4273


◀4274

◀4275




## Fabric Specification

Impulse	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 495 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.57mm ( $\pm 0.05$ )
Width	: 2.50 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.



Fluff

Marvel



Fluff

◀4229

◀4234

◀4226

◀4235

◀4236

◀4225

◀4224

◀4222

◀4227

◀4239

◀4223



## Fabric Specification

Fluff	Technical Details
Composition	: 100% PES with acrylic coating
Woven	: Yes
Coated	: Yes
Weight	: 340 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.41mm ( $\pm 0.05$ )
Width	: 2.50 mtr.
Light Fastness	: 4 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



## ◆ Operating Systems



For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

01. Manual with standard Ball chain.
02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.





Fluff

Marvel



Fluff

◀ 4228

◀ 4221

◀ 4231

◀ 4241

◀ 4230

◀ 4240

◀ 4233

◀ 4232

◀ 4237

◀ 4238



## Fabric Specification

Fluff	Technical Details
Composition	: 100% PES with acrylic coating
Woven	: Yes
Coated	: Yes
Weight	: 340 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.41mm ( $\pm 0.05$ )
Width	: 2.50 mtr.
Light Fastness	: 4 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



## ◆ Automation



Automation in blinds gives your home a touch of originality, improves function and adds value. It makes complete sense for those hard to reach places. We offer a blend of design, technology and innovation that is easy to use for everybody and is amazingly versatile. You can choose from wide range of portable controllers and technologies like WT, RTS and Wire Free to fulfil all your automation needs.

The Remote Control allows you to preset and easily operate a group of up to sixteen different window blinds, individually or together with just a press of a button. Remote Controls are available in different colours and can also be affixed to a wall.



Shein

Marvel



Shein

◀4201

◀4202

◀4203

◀4204

◀4205

◀4206

◀4207

◀4208

◀4209



## Fabric Specification

Shein	Technical Details
Composition	: 60% PVC 40% Fiberglass
Woven	: Yes
Coated	: Yes
Weight	: 530 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.40mm ( $\pm 0.05$ )
Width	: 2.50 mtr.   3.00 mtr.
Light Fastness	: 5 Grade
Fire Retardant	: Yes (NFPA-701)
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Very high
Product Options	: Roller / Panel



◆ Bottom options



Round Bottom Rail



Pentagon Bottom Rail




Decorative Bottom Rail

Marvel provides various options in bottom rails according to the blinds. We have options of round, pentagon and decorative bottom rails. These bottom rails blend beautifully with the blinds enhancing their look by making them more stylish and sophisticated.



Carlos



Carlos

◀ 4261

◀ 4262

◀ 4263

◀ 4264

◀ 4265

◀ 4266



## Fabric Specification

Carlos	Technical Details
Composition	: 100% Polyester with acrylic coating
Woven	: Yes
Coated	: Yes
Weight	: 360 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.53mm ( $\pm 0.05$ )
Width	: 2.40 mtr.
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth





Connect yourself to  
an **Easy Life**



### **HOME MODE**

(centralisation)

One click to open or close all your blinds

---

### **TIMER**

Programming for the blinds at preferred times  
each day, to simulate presence

---

### **AMBIANCE REPLAY**

Run programmed ambiances with 1 click. For instance,  
run the "Film evening" ambiance to close the living room blinds



Adonia



Adonia

◀4151

◀4152

◀4153

◀4154

◀4155




## Fabric Specification

Adonia	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 390 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.70mm ( $\pm 0.05$ )
Width	: 2.80 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.



Seven

Marvel



Seven

◀ 4031

◀ 4032

◀ 4033

◀ 4034

◀ 4035

◀ 4036

◀ 4037



## Fabric Specification

Seven	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 330 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.42mm ( $\pm 0.05$ )
Width	: 3.00 mtr.
Light Fastness	: 5 to 6 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



## Panel Blinds

### ◆ Track options



3 Track Channel



4 Track Channel



6 Track Channel

Channel Size	Depth of channel
3 Track Channel	56mm
4 Track Channel	74mm
6 Track Channel	110mm

### ◆ Channel / Bottom design



Plain Channel



Decorative Channel



Decorative Bottom

You can modernize Panel blinds using plain channel / bottom or matching fabric decorative channel / bottom.





Vittorio



Vittorio

◀ 4141

◀ 4143

◀ 4144

◀ 4142



Vittorio



Vittorio

◀ 4141

◀ 4143

◀ 4144

◀ 4142



## Fabric Specification

Vittorio	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 400 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.70mm ( $\pm 0.05$ )
Width	: 2.80 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassettes for Roman Blinds



Decorative Cassette



One Touch Down  
Decorative Cassette

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. Roman blinds are available with matching fabric decorative cassette.



Posh

Marvel



BLACKOUT

Posh

◀4191

◀4192

◀4193

◀4194



## Fabric Specification

Posh	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 410 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.67mm ( $\pm 0.05$ )
Width	: 2.80 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



## ◆ Operating Systems



For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

01. Manual with standard Ball chain.
02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.



Azure

Marvel



Azure

◀4181

◀4182



## Fabric Specification

Azure	Technical Details
Composition	: 78.5% Polyester + 21.5% Linen
Woven	: Yes
Coated	: Yes
Weight	: 360 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.45mm ( $\pm 0.05$ )
Width	: 2.50 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth





## ◆ Automation



Automation in blinds gives your home a touch of originality, improves function and adds value. It makes complete sense for those hard to reach places. We offer a blend of design, technology and innovation that is easy to use for everybody and is amazingly versatile. You can choose from wide range of portable controllers and technologies like WT, RTS and Wire Free to fulfil all your automation needs.

The Remote Control allows you to preset and easily operate a group of up to sixteen different window blinds, individually or together with just a press of a button. Remote Controls are available in different colours and can also be affixed to a wall.



Array



Array

◀4161

◀4162




## Fabric Specification

Array	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 340 gsm ( $\pm 5\%$ )
Fabric Thickness	: 0.55mm ( $\pm 0.05$ )
Width	: 2.80 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail




Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.



Harp



Harp

◀4021

◀4022

◀4023

◀4024

◀4025

◀4026

◀4027

◀4028



## ◆ Operating Systems



For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

01. Manual with standard Ball chain.
02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.





**BLACKOUT**  
COLLECTION

ROLLER | ROMAN | PANEL  
BLINDS