

Ideal Light Balance
with Perfection
and Elegance

TRANSLUCENT
COLLECTION



Marvel

ROLLER | ROMAN | PANEL
BLINDS



TRANSLUCENT
COLLECTION

ROLLER | ROMAN | PANEL BLINDS

Conversion option for Roman Blinds :



Translucent

Blackout

Technical Details

Blinds Options :



Roller



Roman



Panel



Skylight

Available Options for Roller Blinds

Fixing options :



Direct fix



Headrail



Plain
Cassette



Decorative
Cassette

Bottom rail options :



Plain
Round



Plain
Pentagon



Fabric
Decorative

Operating System :



Ballchain



Automation



Smart Phone



One Touch Up



Ultra Spring System

Available Options for Roman Blinds

Cassette / Bottom rail option :



Decorative Cassette



Plain Pentagon Bottom



Fabric Decorative Bottom

Operating System :



Ballchain



Automation



Smart Phone



One Touch Down

Available Options for Panel Blinds

Channel options :



Plain



Fabric Decorative

Operating System :



Automation



Cord Control



Wand Control



Bright

Marvel



TRANSLUCENT

Bright

◀3151

◀3152

◀3153

◀3154

◀3155

◀3158

◀3156

◀3157



Fabric Specification

Bright	Technical Details
Composition	: 100% PES with acrylic coating
Woven	: 190 gsm ($\pm 5\%$)
Coated	: Yes
Weight	: Yes
Fabric Thickness	: 0.33mm (± 0.05)
Width	: 2.50 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.



Plaintex

Marvel



TRANSLUCENT

Plaintex

◀4111

◀4112

◀4113

◀4114

◀4119

◀4120

◀4121

◀4115

◀4116

◀4130

◀4131



Fabric Specification

Plaintex	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 190 gsm ($\pm 5\%$)
Fabric Thickness	: 0.33mm (± 0.05)
Width	: 2.00 mtr.
Light Fastness	: 5 to 6 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Operating Systems



For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

01. Manual with standard Ball chain.

02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.

03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.

04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.



Plaintex

Marvel



TRANSLUCENT

Plaintex

◀4122

◀4123

◀4124

◀4125

◀4127

◀4129

◀4126

◀4132

◀4117

◀4118

◀4128



Fabric Specification

Plaintex	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 190 gsm ($\pm 5\%$)
Fabric Thickness	: 0.33mm (± 0.05)
Width	: 2.00 mtr.
Light Fastness	: 5 to 6 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Bottom options



Round Bottom Rail



Pentagon Bottom Rail



Decorative Bottom Rail

Marvel provides various options in bottom rails according to the blinds. We have options of round, pentagon and decorative bottom rails. These bottom rails blend beautifully with the blinds enhancing their look by making them more stylish and sophisticated.



Revolve

Marvel



TRANSLUCENT



Revolve

◀3141

◀3142

◀3143

◀3144

◀3145

◀3146

◀3147

◀3148

◀3149



Fabric Specification

Revolve	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 231 gsm ($\pm 5\%$)
Fabric Thickness	: 0.60 mm (± 0.05)
Width	: 2.50 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassettes for Roman Blinds



Decorative Cassette



One Touch Down
Decorative Cassette

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. Roman blinds are available with matching fabric decorative cassette.



Lycos



TRANSLUCENT



Lycos

◀3171

◀3172

◀3173


◀3174

◀3175



Fabric Specification

Lycos	Technical Details
Composition	: 100% PES with acrylic coating
Woven	: Yes
Coated	: Yes
Weight	: 300 gsm ($\pm 5\%$)
Fabric Thickness	: 0.58 mm (± 0.05)
Width	: 2.40 mtr.
Light Fastness	: 4 to 5 Grade
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.



Voil

Marvel



TRANSLUCENT



Voil

◀4041

◀4042

◀4043

◀4044

◀4045

◀4046



Fabric Specification

Voil	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 220 gsm ($\pm 5\%$)
Fabric Thickness	: 0.50 mm (± 0.05)
Width	: 2.90 mtr.
Light Fastness	: More than 4 Grade
PVC Free	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Automation



Automation in blinds gives your home a touch of originality, improves function and adds value. It makes complete sense for those hard to reach places. We offer a blend of design, technology and innovation that is easy to use for everybody and is amazingly versatile. You can choose from wide range of portable controllers and technologies like WT, RTS and Wire Free to fulfil all your automation needs.

The Remote Control allows you to preset and easily operate a group of up to sixteen different window blinds, individually or together with just a press of a button. Remote Controls are available in different colours and can also be affixed to a wall.



Orlando

Marvel



TRANSLUCENT



Orlando

◀3131

◀3132

◀3133

◀3134

◀3135



Fabric Specification

Orlando	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: Yes
Weight	: 234 gm ($\pm 5\%$)
Fabric Thickness	: 0.53mm (± 0.05)
Width	: 2.30 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



Connect yourself to
an **Easy Life**



HOME MODE

(centralisation)

One click to open or close all your blinds

TIMER

Programming for the blinds at preferred times
each day, to simulate presence

AMBIANCE REPLAY

Run programmed ambiances with 1 click. For instance,
run the "Film evening" ambiance to close the living room blinds



Barras

Marvel



TRANSLUCENT



Barras

◀4071

◀4072

◀4073

◀4074



Fabric Specification

Barras	Technical Details
Composition	: 100% Polyester
Woven	: Yes
Coated	: No
Weight	: 216 gsm ($\pm 5\%$)
Fabric Thickness	: 0.42mm (± 0.05)
Width	: 2.60 mtr.
Light Fastness	: more than 5 Grade
PVC Free	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Operating Systems



For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

01. Manual with standard Ball chain.

02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.

03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.

04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.



Vogue

Marvel



TRANSLUCENT

Vogue

◀4061

◀4062

◀4063

◀4064

◀4065

◀4066



Fabric Specification

Vogue	Technical Details
Composition	: 50% Polyester + 50% Cotton
Woven	: Yes
Coated	: Yes
Weight	: 285 gm ($\pm 5\%$)
Fabric Thickness	: 0.45mm (± 0.05)
Width	: 2.10 mtr.
Light Fastness	: 3 to 4 Grade
PVC Free	: Yes
Green Guard	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Operating Systems



For your comfort and pleasure, Marvel provides wide range of operating systems for blinds.

01. Manual with standard Ball chain.
02. One Touch Down is a smart system in roman blinds wherein you just need to pull the operating chain, and the blind will start folding up on its own.
03. One Touch Up is a smart system in roller blinds wherein you just need to pull the operating cord, and the blind will roll up on its own.
04. In Automation, Marvel offer Blinds operated by remote or smart phone, which adds to your comfort and pleasure.



Faustina

Marvel



TRANSLUCENT



Faustina

◀4011

◀4012

◀4013

◀4014

◀4015

◀4016

◀4017



Fabric Specification

Faustina	Technical Details
Composition	: 90% Polyester + 10% Cotton
Woven	: Yes
Coated	: Yes
Weight	: 190 gsm ($\pm 5\%$)
Fabric Thickness	: 0.48mm (± 0.05)
Width	: 3.00 mtr.
Light Fastness	: 4 to 5 Grade
PVC Free	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



◆ Cassette and Fixing options



32 Plain Cassette



Decorative Cassette



Headrail



Direct Fix

Give your blinds a glamorous enhancement with a sleek cassette which is fitted at the top of the blinds, discreetly hiding the operating mechanism. You can modernize Roller blinds using plain cassette or matching fabric decorative cassette.



Rollins

Marvel



TRANSLUCENT



Rollins

◀4051

◀4052

◀4053

◀4054

◀4055

◀4056



Fabric Specification

Rollins	Technical Details
Composition	: 35% Polyester + 65% Cotton
Woven	: Yes
Coated	: Yes
Weight	: 220 gsm ($\pm 5\%$)
Fabric Thickness	: 0.50mm (± 0.05)
Width	: 2.90 mtr.
Light Fastness	: more than 4 Grade
PVC Free	: Yes
Oeko-tex-standard 100	: Yes
Hanging Properties	: Excellent
Tearing Strength	: Very high
Cleaning	: Conditionally cleanable with a damp cloth



Panel Blinds

◆ Track options



3 Track Channel



4 Track Channel



6 Track Channel

Channel Size	Depth of channel
3 Track Channel	56mm
4 Track Channel	74mm
6 Track Channel	110mm

◆ Channel / Bottom design



Plain Channel



Decorative Channel



Decorative Bottom

You can modernize Panel blinds using plain channel / bottom or matching fabric decorative channel / bottom.





TRANSLUCENT
COLLECTION

ROLLER | ROMAN | PANEL
BLINDS